


AURA-SONIC LTD.

# RACKED ROAD CASE SPECIFICATIONS

REV 01.14



-OUR EQUIPMENT LIST IS CONSTANTLY BEING UPDATED. CONTACT ASL FOR THE AVAILABILITY OF ITEMS NOT FOUND-



## RACKED ROAD CASE LIST

MIC PRE PACKAGES

MIC PRE / EQ PACKAGES

SIGNAL PROCESSING PACKAGES

RECORDER / PLAYBACK PACKAGES

COMBOS

MIXERS

SPLITTER PACKAGES

RADIO & INTERCOMMUNICATION ACCESSORIES

AC / DC POWER PRODUCTS & SYSTEMS



RENTAL PACKAGES

REV 01.14

## MIC PRE PACKAGES



### API 3124

24 CHANNEL CUSTOM MIC PRE SYSTEM

POWER CONSUMPTION: 120 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 20" X 22"  
 WEIGHT OF RACK WITH ROAD CASE: 117 lb



### API 3124M \*

24 CHANNEL MIC PRE SYSTEM W/DISCRETE STEREO MIXER SECTIONS

INCLUDES FURMAN PL-8 POWER CONDITIONER

POWER CONSUMPTION: 132 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 20" X 22"  
 WEIGHT OF RACK WITH ROAD CASE: 143 lb



### TRUE SYSTEMS PRECISION 8 \*

24 CHANNEL MIC PRE SYSTEM WITH MS DECODING AND DIRECT IN

POWER CONSUMPTION: 132 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 22" X 9" X 21"  
 WEIGHT OF RACK WITH ROAD CASE: 48 lb




### Midas XL48 \*

24 CHANNEL 96 kHz 24-bit Digi-logic MIC PRE SYSTEM W/ETA POWER

INCLUDES ETA SYSTEMS POWER CONDITIONER

POWER CONSUMPTION: 90 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 22" X 10" X 22"  
 WEIGHT OF RACK WITH ROAD CASE: 50 lb

\*FOR SMALLER PACKAGES, SEE INDIVIDUAL RENTAL SCHEDULE.



## MIC PRE / EQ PACKAGES



### Mic PRE EQ I / WB (12 CHANNELS)

- (4) SHEP SN8 (NEVE 1073) Mic/LINE PREAMP / EQUALIZER MODULES
- (2) FOCUSRITE ISA 215 STEREO Mic PRE/4-BAND EQUALIZER
- (4) DAKING 52270 4-BAND Mic/LINE PRE & EQUALIZER


POWER CONSUMPTION: 350 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 322 LB




### Mic PRE EQ II / WB (16 CHANNELS)

- (8) Audio Toys Pro6 multi-mode signal PROCESSORS
- (4) Midas XL 42 dual mic pre/EQ with STEREO MIXER
- (1) ETA SYSTEMS POWER CONDITIONER

POWER CONSUMPTION: 655 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 309 LB



## SIGNAL PROCESSING PACKAGES



- EQ 1 / WB \* (10 CHANNELS of EQ)**
- (2) Klark Teknik DN300 Graphic EQ
  - (2) Klark Teknik DN360 Dual Graphic EQ
  - (2) Klark Teknik DN410 Dual PARAMETRIC EQ
  - (1) Tripp Lite SURGE PROTECTOR

POWER CONSUMPTION: 90 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 245 lb



- FOCUSRITE RACK \***
- (1) BLUE 315 - dual 4 BAND MASTERING EQ
  - (1) BLUE ISA 330 - STEREO MASTERING COMPRESSOR/LIMITER

POWER CONSUMPTION: 100 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 20" X 22"  
 WEIGHT OF RACK WITH ROAD CASE: 125 lb

\*FOR SMALLER PACKAGES, SEE Individual RENTAL Schedule.

## SIGNAL PROCESSING PACKAGES CONTINUED



### CRANESONG LTD. RACK

- (1) CRANESONG STC-8 DISCRETE CLASS A STEREO COMPRESSOR/LIMITER
- (4) CRANESONG TRAKKER DISCRETE CLASS-A COMPRESSOR/LIMITER
- (1) ETA SYSTEMS POWER CONDITIONER

POWER CONSUMPTION: 250 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 22" X 33" X 22"  
 WEIGHT OF RACK WITH ROAD CASE: 86 LB



### SUMMIT RACK

- (2) SUMMIT TLA 100A – MONO TUBE LIMITER
- (1) SUMMIT DCL 200 – STEREO TUBE COMPRESSOR/LIMITER
- (1) FURMAN PL-PLUS – POWER CONDITIONER

POWER CONSUMPTION: 122 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 23" X 20"  
 WEIGHT OF RACK WITH ROAD CASE: 115 LB

## SIGNAL PROCESSING PACKAGES CONTINUED



### DBX RACK / WB ♦

- (4) DBX 160 COMPRESSOR/LIMITER
- (1) DBX 165 OVER EASY COMPRESSOR/LIMITER
- (1) DBX 165A OVER EASY COMPRESSOR/LIMITER
- (1) DBX 162 STEREO COMPRESSOR/LIMITER
- (4) DBX 160X COMPRESSOR/LIMITER
- (1) ETA SYSTEMS POWER CONDITIONER

POWER CONSUMPTION: 150 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 263 lb



### UREI RACK / WB ♦

- (4) Urei 1176LN
- (3) Urei 1178LN
- (1) Tripp Lite SURGE PROTECTOR

POWER CONSUMPTION: 70 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 238 lb

♦ DBX & Urei RACKS CAN SHIP TOGETHER IN ONE 23" X 33" X 38" ROAD CASE.

## SIGNAL PROCESSING PACKAGES CONTINUED



### FX RACK II \*

- (1) T.C. ELECTRONICS M5000 digital effects processor w/ 2DSP CARDS, 1 A/D CARD & 2 MD2
- (2) LEXICON PCM 90 digital REVERB processor
- (1) YAMAHA SPX 1000 digital REVERB processor
- (1) DYNACORD DRP20X digital REVERB/PROCESSOR
- (1) Klark Teknik DN780 digital REVERB/PROCESSOR/ddl
- (1) EVENTIDE DSP 7000 ULTRA-HARMONIZER
- (2) T.C. ELECTRONICS TC2290S digital delay & sampler
- (1) ETA SYSTEMS power CONDITIONER

POWER CONSUMPTION: 383 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" x 33" x 38"  
 WEIGHT OF RACK WITH ROAD CASE: 283 lb

\*FOR SMALLER PACKAGES, SEE Individual RENTAL Schedule.





## RECORDER / PLAYBACK PACKAGES

**COMING SOON**

### KLARK TEKNIK DN9696 \*

INFORMATION COMING SOON!



### DUAL X48 \*

(2) TASCAM X48 24 bit 96k hybrid 48 TRACK digital HARD disk RECORDER / WORKSTATION

(1) BRAINSTORM DCD8 TIMECODE DISTRIBUTOR

(1) MIDDLE ATLANTIC LCD SCREEN & KEYBOARD

(1) FURMAN PL-PLUS POWER CONDITIONER

(1) MGE PULSAR EX30 UNINTERRUPTIBLE POWER SUPPLY

POWER CONSUMPTION: 350 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 394 lb

\*FOR SMALLER PACKAGES, SEE INDIVIDUAL RENTAL SCHEDULE.

AURASONICLTD.COM

THE HOME OF ASL MOBILE AND LOCATION PRODUCTION

SOMEBODY@AURASONIC.COM

718.886.6500

## RECORDER / PLAYBACK PACKAGES CONTINUED



### HD3 ACCEL SYSTEM – A (48 CHANNELS)

- (1) INTEL WORKSTATION WITH 4 GB RAM
- (1) 1 TB RECORDING DRIVE
- (3) DIGIDESIGN 192 I/O
- (1) DIGIDESIGN SYNC I/O
- (1) HEADPHONE AMP
- (1) 20" LCD SCREEN
- (1) KENSINGTON PRO MOUSE
- (1) UNINTERRUPTIBLE POWER SUPPLY

POWER CONSUMPTION: 1480 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 29" X 52" X 25"  
 WEIGHT OF RACK WITH ROAD CASE: 150 LB



### HD3 ACCEL SYSTEM – B (48 CHANNELS)

- (1) INTEL WORKSTATION WITH 4 GB RAM
- (1) 250 GB RECORDING DRIVE
- (3) DIGIDESIGN 192 I/O
- (1) DIGIDESIGN SYNC I/O
- (1) HEADPHONE AMP
- (1) 20" LCD SCREEN
- (1) KENSINGTON PRO MOUSE
- (1) UNINTERRUPTIBLE POWER SUPPLY

POWER CONSUMPTION: 1480 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 54" X 27"  
 WEIGHT OF RACK WITH ROAD CASE: 150 LB

## RECORDER / PLAYBACK PACKAGES CONTINUED



### HD1 SYSTEM (16 CHANNELS)

- (1) 15" MacBook Pro with SSD Drive / 8 GB RAM
- (1) LYNX AURORA 16
- (1) MAGMA ExpressBox 1

POWER CONSUMPTION: 190 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 22" X 14" X 10"  
 WEIGHT OF RACK WITH ROAD CASE: 25 LB



### HD NATIVE SYSTEM (16 CHANNELS)

- (1) 15" MacBook Pro with SSD Drive / 8 GB RAM
- (1) LYNX AURORA 16

POWER CONSUMPTION: 130 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 22" X 14" X 10"  
 WEIGHT OF RACK WITH ROAD CASE: 20 LB



### DUAL HD NATIVE SYSTEM (32 CHANNELS)

- (2) 15" MacBook Pro with SSD Drive / 8 GB RAM (linked via ETHERNET)
- (2) LYNX AURORA 16
- (2) Radial SW8 SWITCHERS
- (1) HEADPHONE AMP
- (2) TrippLite UNINTERRUPTIBLE POWER Supply

POWER CONSUMPTION: 1000 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 26" X 37" X 30"  
 WEIGHT OF RACK WITH ROAD CASE: 100 LB



## COMBOS

### BUDGET 24 MINI



(3) Midas XL48 8 CHANNEL 96 kHz 24-bit DiGi-logic mic PRE SYSTEM

(2) Alesis HD24XR 24 TRACK digital HARD disk RECORDERS


(1) Tripp Lite SURGE PROTECTOR

POWER CONSUMPTION: 127 WATTS  
OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 24" X 22"  
WEIGHT OF RACK WITH ROAD CASE: 99 lb

\*FOR SMALLER PACKAGES, SEE INDIVIDUAL RENTAL SCHEDULE.



## COMBOS CONTINUED



### BUDGET 24 / WB

- (1) Modified DS800 Active 24X4 mic/line distribution system with two active main/monitor outs and two isolated splits
- (1) Roland M480 – 48 channel mixer with Audio Accessories ¼" long-frame patch bay
- (2) Alesis HD24XR – 24 track digital hard disk recorders
- (1) Furman PL-Plus power conditioner

POWER CONSUMPTION: 332 WATTS  
OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 40" X 38"  
WEIGHT OF RACK WITH ROAD CASE: 403 lb

**COMING SOON**

### BUDGET 48

INFORMATION COMING SOON!

## COMBOS CONTINUED



### C1 SPEAKER DDL AMP

- (1) Mackie HR824 Active Monitor
- (1) Crown D-75 Power Amp for monitoring
- (1) Klark Teknik DN7204 2X4 18 bit Delay

Power consumption: 305 WATTS  
 Outside dimensions of road case: 25" X 20" X 22"  
 Weight of rack with road case: 125 lb



### C2 SPEAKER METERS

- (1) Mackie HR824 Active Monitor
- (1) Dorrough Model 40-A Loudness Meter

Power consumption: 144 WATTS  
 Outside dimensions of road case: 25" X 20" X 22"  
 Weight of rack with road case: 109 lb



### C3 CENTER RACK

- (1) Brainstorm SR-15 timecode distributor
- (1) Marshall V853
- (1) Sonifex distribution amp
- (1) TK Audio BC1 stereo bus compressor
- (1) TASCAM CD-01U
- (1) B&B Systems AM2b
- (1) Tripp Lite surge protector

Power consumption: 124 WATTS  
 Outside dimensions of road case: 25" X 24" X 20"  
 Weight of rack with road case: 127 lb





## MIXERS



### AVID VENUE PROFILE

\$1050.00

96 channel system with 24 input faders and 8 output faders

Power consumption:	680 watts
Outside dimensions of console road case:	50" X 49" X 17"
stage road case:	28" X 36" X 26"
local road case:	28" X 36" X 26"
Weight of console with road case:	274 lb
stage rack (x2) with road case:	174 lb
local rack with road case:	226 lb



### AVID VENUE PROFILE

\$ 750.00

48 channel system with 16 input faders and 8 output faders

Power consumption:	520 watts
Outside dimensions of console road case:	50" X 49" X 17"
stage road case:	28" X 36" X 26"
local road case:	28" X 36" X 26"
Weight of console with road case:	274 lb
stage rack with road case:	87 lb
local rack with road case:	226 lb

## MIXERS CONTINUED



### CRANE SONG LTD. SPIDER

\$ 300.00

Eight channel class A mic preamp, mixer and A/D converter

Includes ETA Systems power conditioner

POWER CONSUMPTION: 70 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 23" X 20"  
 WEIGHT OF RACK WITH ROAD CASE: 98 lb



### MILLENNIA MEDIA MIX SUITE

\$ 325.00

20 x 2 x 4 ultra-precise audio mixing system

POWER CONSUMPTION: 240 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 20" X 22"  
 WEIGHT OF RACK WITH ROAD CASE: 113 lb





RENTAL PACKAGES

REV 01.14

## SPLITTERS



### XTA 48 (56/48X4)

DS800 Active 48X4 mic/line distribution splitter system with two active main/monitor outs, two isolated splits and eight send/return lines.

System includes remote activated pad, adjustable gain, mic/line switch, 48v phantom power, five segment LED metering and headphone "listen" facility.

Splitter system connects to a 250' 56 channel MASS snake/mult with additional ELCO and XLR inputs/outputs.

Power consumption: 240 watts  
 Outside dimensions of road case: 23" X 33" X 38"  
 Weight of rack with road case: 345 lb




### XTA 24A (56/24X4)

DS800 Active 24X4 mic/line distribution system with two active main/monitor outs, two isolated splits and 32 send/returns lines.

Splitter channels numbered 1-24.  
 Send/return lines numbered 25-56.

Power consumption: 120 watts  
 Outside dimensions of road case: 25" X 23" X 22"  
 Weight of rack with road case: 159 lb



### XTA 24B (56/24X4)

DS800 Active 24X4 mic/line distribution system with two active main/monitor outs, two isolated splits and 32 send/returns lines.

Splitter channels numbered 25-48.  
 Send/return lines numbered 1-24; 49-56.

Power consumption: 120 watts  
 Outside dimensions of road case: 25" X 23" X 22"  
 Weight of rack with road case: 159 lb

## SPLITTERS CONTINUED

### BSS 40 (52/40X5)



Brooke Siren Systems 40X5 mic/line distribution splitter system with two active main/monitor outputs, one direct output, two isolated splits and an additional 12 send/returns

Includes ETA Systems power conditioner

POWER CONSUMPTION: 255 WATTS  
 OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
 WEIGHT OF RACK WITH ROAD CASE: 337 lb

### WHIRLWIND 52 (56/52X3)



52X3 isolated mic splitter with one direct output, two isolated outputs and an additional four send/returns

OUTSIDE DIMENSIONS OF ROAD CASE: 25" X 27" X 20"  
 WEIGHT OF RACK WITH ROAD CASE: 108 lb

## SPLITTERS CONTINUED



### WHIRLWIND 58N (58X2 NON ISOLATED)

58 CHANNEL splitter with two NON-ISOLATED outputs.  
 Essentially a 58 channel Y CORD in a box.

Outside dimensions of ROAD CASE: 21" X 13" X 22"  
 Weight of RACK WITH ROAD CASE: 42 lb



### WHIRLWIND 24 (24X2)

24 CHANNEL splitter with ONE DIRECT OUTPUT AND ONE ISOLATED OUTPUT

Outside dimensions of ROAD CASE: 22" X 12" X 22"  
 Weight of RACK WITH ROAD CASE: 40 lb



## AC/DC POWER PRODUCTS & SYSTEMS

### FURMAN VOLTAGE REGULATOR

- (1) FURMAN PL-8
- (1) ETA PD66 High AMPERAGE power distribution
- (2) AR-PRO Line voltage REGULATORS



POWER CONSUMPTION: 20 W  
OUTSIDE DIMENSIONS OF ROAD CASE: 23" X 33" X 38"  
WEIGHT OF RACK WITH ROAD CASE: 336 lb